



MR[®] 96 D UV LED flashlight



Product characteristics

- UV LED flashlight with ergonomic spray aid
- white light component <5 lux with mirror filter
- enables fatigue-free painting
- easy application and controlled dosage
- one year warranty incl. UV LEDs

Technical data

| | |
|---|--|
| Item number | 96D |
| UV lamp risk class acc. to DGZfP EM6* | 3 |
| UVA* | cone of light Ø 6 cm: > 100 W/qm cone of light Ø 15 cm: > 15 W/qm |
| UVB | 0 W/qm |
| Cone of light | Ø 2 ->30 cm |
| Weight without battery | 140 g |
| Dimensions | L = 137 mm, Ø = 40 mm |
| Wavelength (Peak) | 365 nm ± 5 nm |
| Power supply | 3 batteries LR03, AAA or 1x 18650 Lithium |
| Operating time | Depending on the battery |
| Lifespan UV LED** | ca. 10,000 h |
| Waste heat | < 30 °C |
| IP protection class acc. to DIN EN 60529 | IP67 (waterproof) |

*measured at a distance of 38 cm from the surface

**under laboratory conditions according to the manufacturer's instructions

Technical changes reserved!



MR[®] 96 D UV LED flashlight

Scope of delivery



MR 96 D
UV LED flashlight




96D CASE
Suitable for MR 96 D



G257-1 BATTERY CARRIER
For 3x AAA battery



LITHIUM-ION BATTERY +
ADAPTER
Type 18650
Please remove battery foil before use!



USB CHARGER
For battery type 18650

Technical changes reserved!



MR[®] 96 D UV LED flashlight

Optionally available



2X LITHIUM-ION BATTERY **97-2**
Type 18650

Technical changes reserved!